



天津雷杰科技有限公司
Tianjin Reager Technology Co.,Ltd.

Tianjin Reager Technology Co.,Ltd. Introduction



专注挤出40年



LOCATION

- Wuqing district of Tianjin – the economic center of Beijing- Tianjin - Hebei region's Joint Development Area
- Northern port city, more than fifteen million of the population




HISTORY

- Previous name: Tianjin Changcheng Plastic Machinery Factory, founded in 1970s
- Starting business early from plastic extruders and moulds, and involving in rubber machinery in middle of 1980s



- We' re much experienced in the manufacturing of various extruders with abundant technology.





Holding core technology Offering superior service

PRODUCTS LIST

Size	Slab Feeding	Profile	Hose	Rubber Coating	Roller-Head	Overhaul, Upgrade and Fitting
Φ65 Extruder						
Φ90 Extruder						
Φ120 Extruder						
Φ150 Extruder						
Φ200 Extruder						
Φ250 Extruder						
Duplex Extruder						
Triplex Extruder						
3+1 Multiple Extruder						
Quadruplex Extruder						
4+1 Multiplex Extruder						
Quintoplex extruder						

掌握核心技术

奉献优质服务

专注挤出40年



天津雷杰科技有限公司
Tianjin Reager Technology Co., Ltd.

Our Customs



双钱



兴源集团
XINGYUAN GROUP



McNeil & NRM, Inc.



专注挤出40年

Products

Extruders for rubber /profile/winding/hose






Products

Wide head extruders for cold feed innerliner





Products

Extruders for breaker/bead wire rubberizing











Products :

Various multiple extruders





Products : Spare parts and overhaul of extruders






Basic Configuration



	Standard	Option	Other
Main motor	Hangzhou Hengli	Nanyang/Lijiu/Xiangdian/ABB/SIEMENS	
Reducer	Jiangying Duoling	NGC/ZAMBELLO	
Pneumatic	FESTO	SMC	
Hydraulic	Bosch-Rexroth	VICKERS/URANUS/HANFOOK	
Main speed regulator	SIEMENS	AB/ABB/Mitsubishi	
Low voltage control	Schneider	ABB	
Sensor	TURCK	SICK	
PLC	SIEMENS	AB/Mitsubishi	
TCU	Qingdao Kegao	Tianjin Lanke	
Feed roll bearing	NSK	SKF/FAG/哈瓦洛	

Extruder Parameters



Dia. mm	L/D	Pin Number	Rated Speed rpm	Drive Power kw	Output kg/h
Ø65C	10/12	4×6	25/60	11/22	120-150
Ø75C	10/12	4×6	25/60	15/22	180-220
Ø90C	12/14/16	8×6	25/55	55/75	380-420
Ø120C	12/14/16	8×8	50	110/132	600-900
Ø150C	12/14/16	9×8	45	185/220/250	1200-1800
Ø200C	12/14/16/18	12×10	30	280/315/355	2300-2800
Ø250C	12/14/16/18	12×10	26	450/500	3300-4000
Ø250H	6/7	/	50	220	3800-4300

Latest Patented Products



Duplex Extrusion Head with “U”
Type Locking System



Features :



- Simple and compact construction
- Special design of locking system can ensure a long service life
- Required low pressure of hydraulic system (below 200bar)
- With sealing face to secure a high locking force
- Low maintenance cost
- Easy locking and unlocking of head to reduce operating time
- No safety risk in case of malfunction of head
- Self-locking





天津雷杰科技有限公司
Tianjin Reager Technology Co., Ltd.

Latest Patented Products




Feed barrel, forged and drilled for cooling

专注挤出40年



Features:

- Manufactured in forged steel, with attractive appearance and free from any casting defects like sand holes
- Drilled for cooling, water passage is arranged in shuttle and series to ensure a sufficient water circulation without backflow
- Surface of water passage is well finished to ensure a higher heat transfer efficiency
- Barrel connecting flange is separately designed, easy for replacement of different barrel.





天津雷杰科技有限公司
Tianjin Reager Technology Co., Ltd.

天津雷杰科技有限公司期待您的光临!

地址：天津市武清福源经济区

传真：+86 02229534210

电话：+86 02229423699

手机：+86 13302130118 (施)

+86 15002239856 (康)

邮箱：REAGER@163.com

13302130118@163.com

网址：www.reager.cn



专注挤出40年